

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	782	(359/ 599).CCLS.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2008/ 01/ 23 19:55
S2	4747	((359/ 559) or (359/ 601) or (359/ 613) or (362/ 606) or (362/ 607) or (362/ 608) or (362/ 290) or (362/ 291) or (362/ 292) or (362/ 339) or (362/ 355) or (362/ 558) or (362/ 246)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2008/ 01/ 23 19:56
S3	1751	S2 and diff us\$4	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/ 01/ 23 20:59
S4	2	S3 and (wedg\$3 with embed\$4)	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/ 01/ 23 21:00
S5	231	S3 and wedg\$3	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/ 01/ 23 21:01
S6	4749	((359/ 559) or (359/ 601) or (359/ 613) or (362/ 606) or (362/ 607) or (362/ 608) or (362/ 290) or (362/ 291) or (362/ 292) or (362/ 339) or (362/ 355) or (362/ 558) or (362/ 246)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2008/ 01/ 24 18:26
S7	1753	S6 and diff us\$4	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/ 01/ 24 18:26
S8	80	S7 and (t oot h\$3 or sawt oot h\$3 or saw?oot h\$3 or (saw near3 t oot h\$3))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/ 01/ 24 18:26

S9	463	S7 and (pyramid\$4 or triang\$4)	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/01/24 18:26
S10	10	("3712713" "4519675" "5839823" "5880886" "6078426" "6092904" "6169594" "6222689" "6224223" "6523980").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/24 18:32
S11	215	S7 and (pyramid\$4 or triang\$4) and (refract \$4 near 4 (indi\$3 or inde\$3))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/01/24 18:39
S12	339	S6 and (diff us\$4 near 4 (sheet\$3 or plat\$3 or layer\$3)) and ((multi or multipl\$2 or plural\$3) with (f acet\$3 or f ace\$2 or sid\$3))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/01/24 19:10
S13	101	S6 and (diff us\$4 near 4 (sheet\$3 or plat\$3 or layer\$3)) and ((multi or multipl\$2 or plural\$3) with (f acet\$3 or f ace\$2 or sid\$3) with (angl\$3 or inclin\$5 or slant\$4))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/01/24 19:11
S14	1449	S6 and ((optic\$4 or light\$3) near 3 diff us\$4)	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/01/24 19:20
S15	267	S14 and (refract \$4 near 3 (indi\$3 or inde\$3)) and ((f acet\$3 or f ace\$2 or sid\$3) with (angl\$3 or inclin\$5 or slant\$4))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/01/24 19:22
S16	6	("5396350" "5428468" "5598280" "5598281" "5671994" "5841572").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/24 19:45
S17	4749	((359/559) or (359/601) or (359/613) or (362/606) or (362/607) or (362/608) or (362/290) or (362/291) or (362/292) or (362/339) or (362/355) or (362/558) or (362/246)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 20:10
S18	1449	S17 and ((optic\$4 or light\$3) near 3 diff us\$4)	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/01/24 20:10

S19	19	S18 and (refract\$4 near3 (indi\$3 or inde\$3)) and ((facet\$3 or face\$2 or sid\$3) with polygon\$)	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/01/24 20:10
S20	2658	((optic\$4 or light\$3) near3 diff us\$4) and (refract\$4 near3 (indi\$3 or inde\$3)) and (tooth\$3 or sawt oot h\$3 or saw?tooth\$3 or (saw near3 tooth\$3) or wedg\$3 or pyramid\$4 or triang\$4) and ((facet\$3 or face\$2 or sid\$3) with (angl\$3 or inclin\$5 or slant\$4))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/01/24 20:19
S21	1293	(((optic\$4 or light\$3) near3 diff us\$4) with (sheet\$3 or plat\$3 or layer\$3)) and (refract\$4 near3 (indi\$3 or inde\$3)) and (tooth\$3 or sawt oot h\$3 or saw?tooth\$3 or (saw near3 tooth\$3) or wedg\$3 or pyramid\$4 or triang\$4) and ((facet\$3 or face\$2 or sid\$3) with (angl\$3 or inclin\$5 or slant\$4))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/01/24 20:20
S22	345	(((optic\$4 or light\$3) near3 diff us\$4) with (sheet\$3 or plat\$3 or layer\$3)) and (refract\$4 near3 (indi\$3 or inde\$3)) and (tooth\$3 or sawt oot h\$3 or saw?tooth\$3 or (saw near3 tooth\$3) or wedg\$3 or pyramid\$4 or triang\$4) and ((facet\$3 or face\$2 or sid\$3) with (angl\$3 or inclin\$5 or slant\$4)) with (multi or multipl\$2 or plural\$3))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/01/24 20:21
S23	6	("5768014" "6417966" "6961176" "6987624" "6995907" "7072109").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/24 20:36
S24	7	("3279314" "5481385" "5760955" "6400504" "6417966" "6727313").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/24 20:42

S25	19	("2207835" "2738706" "3218924" "3279314" "4418986" "4443814" "4468092" "4573764" "4605283" "4688093" "4936652" "4993806" "5005945" "5428476" "5768014"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/24 20:43
S26	855	(359/ 599).OCLS.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2008/06/27 18:05
S27	4907	((359/ 559) or (359/ 601) or (359/ 613) or (362/ 606) or (362/ 607) or (362/ 608) or (362/ 290) or (362/ 291) or (362/ 292) or (362/ 339) or (362/ 355) or (362/ 558) or (362/ 246)).OCLS.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2008/06/27 18:05
S28	1865	S27 and diff us\$4	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/06/27 18:05
S29	2	S28 and (wedg\$3 with embed\$4)	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/06/27 18:05
S30	245	S28 and wedg\$3	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/06/27 18:05
S31	4907	((359/ 559) or (359/ 601) or (359/ 613) or (362/ 606) or (362/ 607) or (362/ 608) or (362/ 290) or (362/ 291) or (362/ 292) or (362/ 339) or (362/ 355) or (362/ 558) or (362/ 246)).OCLS.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2008/06/27 18:05
S32	1865	S31 and diff us\$4	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/06/27 18:05
S33	87	S32 and (t oot h\$3 or sawt oot h\$3 or saw?oot h \$3 or (saw near3 t oot h \$3))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/06/27 18:05

S34	510	S32 and (pyramid\$4 or triang\$4)	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/06/27 18:06
S35	243	S32 and (pyramid\$4 or triang\$4) and (refract \$4 near 4 (indi\$3 or inde\$3))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/06/27 18:06
S36	372	S31 and (diff us\$4 near 4 (sheet\$3 or plat\$3 or layer\$3)) and ((multi or multipl\$2 or plur al\$3) with (facet\$3 or face\$2 or sid\$3))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/06/27 18:06
S37	111	S31 and (diff us\$4 near 4 (sheet\$3 or plat\$3 or layer\$3)) and ((multi or multipl\$2 or plur al\$3) with (facet\$3 or face\$2 or sid\$3) with (angl\$3 or inclin\$5 or slant\$4))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/06/27 18:06
S38	1544	S31 and ((optic\$4 or light\$3) near 3 diff us\$4)	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/06/27 18:06
S39	291	S38 and (refract\$4 near 3 (indi\$3 or inde\$3)) and ((facet\$3 or face\$2 or sid\$3) with (angl\$3 or inclin\$5 or slant\$4))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/06/27 18:06
S40	4907	((359/ 559) or (359/ 601) or (359/ 613) or (362/ 606) or (362/ 607) or (362/ 608) or (362/ 290) or (362/ 291) or (362/ 292) or (362/ 339) or (362/ 355) or (362/ 558) or (362/ 246)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2008/06/27 18:06
S41	1544	S40 and ((optic\$4 or light\$3) near 3 diff us\$4)	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/06/27 18:06
S42	20	S41 and (refract\$4 near 3 (indi\$3 or inde\$3)) and ((facet\$3 or face\$2 or sid\$3) with polygon\$)	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/06/27 18:06

S43	370	((optic\$4 or light \$3) near3 diff us\$4) with (sheet\$3 or plat\$3 or layer\$3)) and (refract\$4 near3 (indi\$3 or inde\$3)) and (t oot h\$3 or sawt oot h\$3 or saw?t oot h\$3 or (saw near3 t oot h\$3) or wedg\$3 or pyramid\$4 or triang\$4) and ((facet\$3 or face\$2 or sid\$3) with h (angl\$3 or inclin\$5 or slant\$4) with (multi or multipl\$2 or plural\$3))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2008/06/27 18:06
S44	2	("6417966").PN.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2009/05/21 10:26
S45	964	(359/ 599).CCLS.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2009/05/21 10:26
S46	5250	((359/ 559) or (359/ 601) or (359/ 613) or (362/ 606) or (362/ 607) or (362/ 608) or (362/ 290) or (362/ 291) or (362/ 292) or (362/ 339) or (362/ 355) or (362/ 558) or (362/ 246)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2009/05/21 10:26
S47	2129	S46 and diff us\$4	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/21 10:26
S48	2	S47 and (wedg\$3 with embed\$4)	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/21 10:26
S49	284	S47 and wedg\$3	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/21 10:26
S50	5250	((359/ 559) or (359/ 601) or (359/ 613) or (362/ 606) or (362/ 607) or (362/ 608) or (362/ 290) or (362/ 291) or (362/ 292) or (362/ 339) or (362/ 355) or (362/ 558) or (362/ 246)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2009/05/21 10:26

S51	2129	S50 and diff us\$4	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/21 10:26
S52	99	S51 and (toot h\$3 or sawt oot h\$3 or saw?oot h\$3 or (saw near 3 toot h\$3))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/21 10:26
S53	620	S51 and (pyramid\$4 or triang\$4)	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/21 10:26
S54	301	S51 and (pyramid\$4 or triang\$4) and (refract \$4 near 4 (indi\$3 or inde\$3))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/21 10:27
S55	465	S50 and (diff us\$4 near 4 (sheet\$3 or plat\$3 or layer\$3)) and ((multi or multipl\$2 or plural\$3) with (facet\$3 or face\$2 or sid\$3))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/21 10:27
S56	134	S50 and (diff us\$4 near 4 (sheet\$3 or plat\$3 or layer\$3)) and ((multi or multipl\$2 or plural\$3) with (facet\$3 or face\$2 or sid\$3) with (angl\$3 or inclin\$5 or slant\$4))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/21 10:27
S57	1783	S50 and ((optic\$4 or light\$3) near 3 diff us\$4)	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/21 10:27
S58	360	S57 and (refract \$4 near 3 (indi\$3 or inde\$3)) and ((facet\$3 or face\$2 or sid\$3) with (angl\$3 or inclin\$5 or slant\$4))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/21 10:27
S59	5250	((359/ 559) or (359/ 601) or (359/ 613) or (362/ 606) or (362/ 607) or (362/ 608) or (362/ 290) or (362/ 291) or (362/ 292) or (362/ 339) or (362/ 355) or (362/ 558) or (362/ 246)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2009/05/21 10:27
S60	1783	S59 and ((optic\$4 or light\$3) near 3 diff us\$4)	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/21 10:27

S61	25	S60 and (refract\$4 near3 (indi\$3 or inde\$3)) and ((facet\$3 or face\$2 or sid\$3) with polygon\$)	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/21 10:27
S62	432	(((optic\$4 or light\$3) near3 diffus\$4) with (sheet\$3 or plat\$3 or layer\$3)) and (refract\$4 near3 (indi\$3 or inde\$3)) and (totooth\$3 or sawtooth\$3 or saw?tooth\$3 or (saw near3 totooth\$3) or wedg\$3 or pyramid\$4 or triang\$4) and ((facet\$3 or face\$2 or sid\$3) with (angl\$3 or inclin\$5 or slant\$4) with (multi or multipl\$2 or plural\$3))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/21 10:27
S63	2	("7453639").PN.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2009/05/21 11:46
S64	3	("20020126377" "20020191283" "6417966").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/21 11:46
S65	19	("2207835" "2738706" "3218924" "3279314" "4418986" "4443814" "4468092" "4573764" "4605283" "4688093" "4936652" "4993806" "5005945" "5428476" "5768014").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/21 11:48
S66	2	("7453639").PN.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2009/05/21 14:32
S67	2	wo-2004085067-\$ did.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/21 14:35
S68	506	(((optic\$4 or light\$3) near3 diffus\$4) with (sheet\$3 or plat\$3 or layer\$3)) same (totooth\$3 or sawtooth\$3 or saw?tooth\$3 or (saw near3 totooth\$3) or wedg\$3 or pyramid\$4 or triang\$4)) and (refract\$4 near3 (indi\$3 or inde\$3))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/21 15:24

S69	384	S68 and ((f acet\$3 or face\$2 or sid\$3 or surf ac\$2) near 5 (angl\$3 or inclin\$5 or slant\$4 or tilt\$4))	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/21 15:26
S70	30	(((optic\$4 or light\$3) near 3 diff us\$4)) same (toot h\$3 or sawt oot h\$3 or saw?toot h\$3 or (saw near 3 toot h\$3) or wedg \$3 or pyramid\$4 or triang\$4)) and (refract \$4 near 3 (indi\$3 or inde \$3))).clm.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:09
S71	99	(((optic\$4 or light\$3) near 3 diff us\$4)) and (toot h\$3 or sawt oot h\$3 or saw?toot h\$3 or (saw near 3 toot h\$3) or wedg \$3 or pyramid\$4 or triang\$4)) and (refract \$4 near 3 (indi\$3 or inde \$3)) and ((angl\$3 or inclin\$5) with surf ac\$3)).clm.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:22
S72	41	(((optic\$4 or light\$3) near 3 diff us\$4)) and (toot h\$3 or sawt oot h\$3 or saw?toot h\$3 or (saw near 3 toot h\$3) or wedg \$3 or pyramid\$4 or triang\$4)) and (refract \$4 near 3 (indi\$3 or inde \$3)) and ((angl\$3 or inclin\$5) with surf ac\$3) and (flat\$5 or planar \$2)).clm.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:22

5/28/2009 10:54:39 AM

C:\Documents and Settings\ALavaras\My Documents\EAST\workspaces\10565242.wsp